



Talend Open Studio for ESB Release Notes

7.0.1

Contents

Copyright.....	3
System requirements.....	5
Talend Open Studio for ESB: new features.....	6
ESB: new features.....	6
Talend Open Studio for ESB: bug fixes.....	7
Talend Open Studio for ESB: deprecated and removed items.....	8
ESB: deprecated and removed items.....	8
Talend Open Studio for ESB: known issues and limitations.....	9
ESB: known issues and known limitations.....	9
Talend Open Studio for ESB: migration.....	11
ESB: migration from 6.x.x to 7.0.x.....	11
Talend Open Studio for ESB: hints and notes.....	12
ESB: hints and notes.....	12
Documentation.....	13
Reporting defects and issues.....	14

Copyleft

Adapted for 7.0.1. Supersedes previous releases.

Publication date: April 13, 2018

This documentation is provided under the terms of the Creative Commons Public License (CCPL).

For more information about what you can and cannot do with this documentation in accordance with the CCPL, please read: <http://creativecommons.org/licenses/by-nc-sa/2.0/>.

Notices

Talend and Talend ESB are trademarks of Talend, Inc.

Talend, Talend Integration Factory, Talend Service Factory, and Talend ESB are trademarks of Talend, Inc.

Apache CXF, CXF, Apache Karaf, Karaf, Apache Camel, Camel, Apache Maven, Maven, Apache Syncope, Syncope, Apache ActiveMQ, ActiveMQ, Apache Log4j, Log4j, Apache Felix, Felix, Apache ServiceMix, ServiceMix, Apache Ant, Ant, Apache Derby, Derby, Apache Tomcat, Tomcat, Apache ZooKeeper, ZooKeeper, Apache Jackrabbit, Jackrabbit, Apache Santuario, Santuario, Apache DS, DS, Apache Avro, Avro, Apache Abdera, Abdera, Apache Chemistry, Chemistry, Apache CouchDB, CouchDB, Apache Kafka, Kafka, Apache Lucene, Lucene, Apache MINA, MINA, Apache Velocity, Velocity, Apache FOP, FOP, Apache HBase, HBase, Apache Hadoop, Hadoop, Apache Shiro, Shiro, Apache Axiom, Axiom, Apache Neethi, Neethi, Apache WSS4J, WSS4J are trademarks of The Apache Foundation. Eclipse Equinox is a trademark of the Eclipse Foundation, Inc. Hyperic is a trademark of VMware, Inc. Nagios is a trademark of Nagios Enterprises, LLC.

All brands, product names, company names, trademarks and service marks are the properties of their respective owners.

License Agreement

The software described in this documentation is licensed under the Apache License, Version 2.0 (the "License"); you may not use this software except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0.html>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed at AOP Alliance (Java/J2EE AOP standards), ASM, AntLR, Apache ActiveMQ, Apache Ant, Apache Avro, Apache Axiom, Apache Axis, Apache Axis 2, Apache Batik, Apache CXF, Apache Camel, Apache Chemistry, Apache Common Http Client, Apache Common Http Core, Apache Commons, Apache Commons Bcel, Apache Commons JXPath, Apache Commons Lang, Apache Derby Database Engine and Embedded JDBC Driver, Apache Geronimo, Apache Hadoop, Apache Hive, Apache HttpClient, Apache HttpComponents Client, Apache JAMES, Apache Log4j, Apache Lucene Core, Apache Neethi, Apache POI, Apache Pig, Apache Qpid-Jms, Apache Tomcat, Apache Velocity, Apache WSS4J, Apache WebServices Common Utilities, Apache Xml-RPC, Apache Zookeeper, Box Java SDK (V2), CSV Tools, DataStax Java Driver for Apache Cassandra, Ehcache, Ezmorph, Ganymed SSH-2 for Java, Google APIs Client Library for Java, Google Gson, Groovy, Guava: Google Core Libraries for Java, H2 Embedded Database and JDBC Driver, HsqlDB, Ini4j, JClouds, JLine, JSON, JSR 305: Annotations for Software Defect Detection in Java, JUnit, Jackson Java JSON-processor, Java API for RESTful Services, Jaxb, Jaxen, Jettison, Jetty, Joda-Time, Json Simple, MetaStuff, Mondrian, OpenSAML, Paracel JDBC Driver, PostgreSQL JDBC Driver, Resty: A simple HTTP REST client for Java,

Rocoto, SL4J: Simple Logging Facade for Java, SQLite JDBC Driver, Simple API for CSS, SshJ, StAX API, StAXON - JSON via StAX, Talend Camel Dependencies (Talend), The Castor Project, The Legion of the Bouncy Castle, W3C, Woden, Woodstox : High-performance XML processor, XML Pull Parser (XPP), Xalan-J, Xerces2, XmlBeans, XmlSchema Core, Xmlsec - Apache Santuario, Zip4J, atinject, dropbox-sdk-java: Java library for the Dropbox Core API, google-guice. Licensed under their respective license.

System requirements

Users should refer to the Talend Installation and Migration Guide on the Talend Help Center (<http://help.talend.com>) for more information on Installation and System Requirements.

Talend Open Studio for ESB: new features

ESB: new features

Feature	Description
Deployment versioning and customization	The Build Type (OSGi-Talend Runtime or Microservice) can be set now on the Deployment tab.
Data Services (SOAP)	New advanced settings options are added to tESBProviderRequest, including Response timeout, sec , Request processing queue size , Request processing timeout, sec .
Runtime	<ul style="list-style-type: none">• Apache Karaf is upgraded to 4.1.5• Apache CXF is upgraded to 3.2.4• Apache ActiveMQ is upgraded to 5.15.2• Apache Camel is upgraded to 2.20.1

Talend Open Studio for ESB: bug fixes

In addition to the new features a number of minor improvements within the entire products and significant bug fixes have been made. See the corresponding Change Logs on our bug tracking system for more details on the individual issues:

Module	Change Log
ESB	https://jira.talendforge.org/secure/ReleaseNote.jspa?projectId=10186&version=22307

Talend Open Studio for ESB: deprecated and removed items

ESB: deprecated and removed items

Item	Description
Spring Dynamic Modules on Talend Runtime	Spring Dynamic Modules are removed in 7.0.1 and the use of Spring-Dm on Talend Runtime (OSGi) is no longer supported.
BPM: Expose Process as Service	The support for creating a Rest or SOAP Service directly from a Bonita BPM Process is deprecated from 7.0.1 onwards.
BPM: ESB Connectors	The ESB REST, SOAP Data Service and ESB Route connector for Bonita BPM is deprecated from 7.0.1 onwards.
SAM Server	The SAM Server is deprecated from 7.0.1 onwards as we plan to combine the SAM and Event Logging Feature into one solution within a future release of Talend ESB. Nevertheless the feature to capture Service Activity Events on Talend Runtime will still be possible. But the way we capture them and the way we transport and handle them on the server side will change in a future version and we will no longer provide an explicit SAM Server.
SWAGGER UI	The SWAGGER UI within RESTful Data Services and Routes (tRESTRequest / cREST) are deprecated. We plan to provide a similar feature with the API design and testing. The product portfolio will also be added in future Talend Cloud of 7.x versions.

Talend Open Studio for ESB: known issues and limitations

ESB: known issues and known limitations

We encourage you to consult the JIRA bug tracking tool for a full list of open issues:

<https://jira.talendforge.org/issues/?filter=27223>

All ESB use cases (Routes, REST and SOAP Data Services) require Java 8 now.

Talend Open Studio for ESB (TOS4ESB) and Talend ESB Standard Edition (OSGi Runtime) only support Java 8.

Installer

Issue	Workaround
Latest Java version supported on Mac	The latest version of Java supported on Mac is 1.8.0_151 and later versions will not work correctly. See https://jira.talendforge.org/browse/TUP-19313 for details.

Studio

Limitation	Description
Java PSU not supported	Talend is only supported on Java CPS Versions, not Java PSU. Some users reported problems using Talend Studio with Java PSU versions (such as jdk8_u92), but when reverting to a Java CPS Version (such as jdk8_u91) the problem was resolved. See also: http://www.oracle.com/technetwork/java/javase/cpu-psu-explained-2331472.html
Only WS-I Basic Profile compliant WSDL documents are supported	All WSDL service descriptions should be at least WS-I Basic Profile compliant if you want to use them in Talend Studio. See http://ws-i.org/deliverables/workinggroup.aspx?wg=basicprofile%20for%20more%20information . Other WSDL documents might also work but they are more likely to fail.
tRunJob is supported with limitations	The tRunJob component is supported with limitations, which means that only S4 (Minor) support cases are accepted and no patches are provided. If you use tRunJob within Data Services and Routes (with cTalendJob), support is provided on a "best effort" basis only. In most cases, there are class loading issues which can sometimes be resolved but not always. This is because tRunJob is not designed to work in a Service/Route style (ESB) deployment, so regular support is not provided if you decide to use it, even though it may work in many cases. If you used tRunJob in the past,

Limitation	Description
	<p>it is recommended to change your Job Design to use Joblets instead.</p> <p>For DI and non-ESB use cases, it is still a valuable component and will have full support as before.</p> <p>Additionally, the Use dynamic job option is not supported within ESB Routes or Data Services at all.</p>

Issue	Workaround
<p>Route Builder beans cannot be organized in packages [TESB-3701]</p> <p>Beans in a route build can be used to add Java code for the route builder routes, however all beans are currently located in one single package.</p>	None
<p>XML payload content is not fully displayed in trace or debug mode</p> <p>When starting a Data Service Job in trace/debug mode, the content of the Document fields of the flows is not displayed fully - only the first line of the XML payload is shown.</p>	<p>If you need to see the XML data you can place a tLogRow component anywhere in your models. Keep in mind that Talend Studio also allows you to disable this component, so that you can enable it for testing inside Talend Studio, but disable it for export or publishing.</p>

Runtime

Issue	Workaround
<p>OSGi Container fails to log messages that were sent to system.err / system.out [TESB-11603]</p> <p>In the tesb.log file you will not see any messages which were sent via system.err or system.out.</p>	<p>If you encounter this issue, you can run the same scenario in Console mode as the system.err and system.out will show up on the console.</p>

Talend Open Studio for ESB: migration

ESB: migration from 6.x.x to 7.0.x

Studio

Item	Description
ESB Studio upgrade	The ESB Studio requires a new installation. You need to export your 6.x projects from your local 6.x workspace and import the project with the ESB Studio 7.0.x.
Studio project upgrade	Studio projects can be used without any manual migration. When the Data Services, Jobs and Routes are opened in the ESB Studio, the components that need changes will be upgraded automatically.

Runtime

Item	Description
ESB Runtime upgrade	The ESB Runtime (OSGi Container) requires a new installation. See also Compatibility notes on page 11 for details.

Compatibility notes

Item	Description
Talend ESB container migration	<p>If you want to run your existing Data Services or Routes on the new 7.0.x Container, you need to re-build, re-publish and re-deploy the Studio models to use the latest code changes.</p> <p>We support the mixed installation and use of Talend ESB container 6.x with Data Services and Routes generated by Talend ESB Studio 6.x and the Talend ESB Infrastructure Services in 7.0.x.</p>
Studio Routes migration	From 6.3.1 onwards, the cMessageEndpoint Libraries are not shipped with the ESB Studio anymore. For more information about how to use Routes generated by ESB Studio older than 6.3.1, see the <Studio_Home>/esb/Readme_cMessageEndpoint_Libraries.txt for details.

Talend Open Studio for ESB: hints and notes

ESB: hints and notes

Studio

Item	Description
cAMQP requires the Client ID to be set	<p>When you use the cAMQP component in the Route Builder, make sure you always set the Client ID to a unique value which is not used in other Routes (the <code>clientId</code> header in cAMQP advanced settings.) If more than one cAMQP based Routes are executed in the same Talend Runtime container and the Client ID is not set, you will see some exceptions like:</p> <pre>org.springframework.jms.Unca tegorizedJmsException: Uncategorized exception occured during JMS processing; nested exception is javax.jms.JMSEException: Broker: localhost - Client: tlnd-spappala(6968):2 already connected from tcp://127.0.0.1:49729</pre>

Runtime

Item	Description
Copying an ESB Container might lead to unexpected behaviour	A Talend Runtime container which was started once can't be copied to a different directory or machine. We recommend to always use the container that is shipped with the product.

Documentation

Talend Help Center

Find out more about how to get the most out of your Talend products on the Talend Help Center:
<http://help.talend.com>.

Open issues

We encourage you to consult the JIRA bug tracking tool for a full list of open issues:

<https://jira.talendforge.org/issues/?filter=18375>

Reporting defects and issues

As a customer of Talend with a valid support contract, you can use our Talend Online Helpdesk or you can contact our customer support by phone and e-mail as stated in your contract.

Often the following information is needed and would help us to more easily evaluate your issue:

- Product and Version which you used (for example, Talend Data Fabric 7.0.1)
- Operating System, for example, Windows Server 2008 R2 SP1 (64bit)
- Version of Java Platform JDK / JRE in use (for example, ORACLE JDK 1.8.0_161)
- Log files and/or screenshots

Also, in order to ensure that the technical support team has sufficient information to help you, describe at least the following in detail:

- your actions up to the point when the problem occurred
- the results you expected

In addition to our support helpdesk, you can also use our community support tools:

- [Talend Community](#).
- You can also look into the [Talend Bug Tracker](#).
- Just keep in mind that only cases you create via one of the Talend Support channels in our Talend Support Helpdesk are treated under the service level agreements we provided in the related contract to you.