



Talend Open Studio for Data Quality

Installation and Upgrade Guide for
Linux

6.2.2

Adapted for v6.2.2. Supersedes previous releases.

Publication date: January 23, 2017

Copyright

This documentation is provided under the terms of the Creative Commons Public License (CCPL).

For more information about what you can and cannot do with this documentation in accordance with the CCPL, please read: <http://creativecommons.org/licenses/by-nc-sa/2.0/>

Notices

Talend is a trademark of Talend, Inc.

All brands, product names, company names, trademarks and service marks are the properties of their respective owners.

License Agreement

The software described in this documentation is licensed under the Apache License, Version 2.0 (the "License"); you may not use this software except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0.html>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed at ASM, AntLR, Apache ActiveMQ, Apache Ant, Apache Axiom, Apache Axis, Apache Axis 2, Apache Chemistry, Apache Common Http Client, Apache Common Http Core, Apache Commons, Apache Commons Bcel, Apache Commons Lang, Apache Datafu, Apache Derby Database Engine and Embedded JDBC Driver, Apache Geronimo, Apache HCatalog, Apache Hadoop, Apache Hbase, Apache Hive, Apache HttpClient, Apache HttpComponents Client, Apache JAMES, Apache Log4j, Apache Neethi, Apache POI, Apache Pig, Apache Thrift, Apache Tomcat, Apache Xml-RPC, Apache Zookeeper, CSV Tools, DataNucleus, Doug Lea, Ezmorph, Google's phone number handling library, Guava: Google Core Libraries for Java, H2 Embedded Database and JDBC Driver, HighScale Lib, HsqlDB, JSON, JUnit, Jackson Java JSON-processor, Java API for RESTful Services, Java Universal Network Graph, Jaxb, Jaxen, Jetty, Joda-Time, Json Simple, MapDB, MetaStuff, Paracel JDBC Driver, PostgreSQL JDBC Driver, Protocol Buffers - Google's data interchange format, Resty: A simple HTTP REST client for Java, SL4J: Simple Logging Facade for Java, SQLite JDBC Driver, The Castor Project, The Legion of the Bouncy Castle, Woden, Xalan-J, Xerces2, XmlBeans, XmlSchema Core, atinject. Licensed under their respective license.

Table of Contents

Preface	v
1. General information	v
1.1. Purpose	v
1.2. Audience	v
1.3. Typographical conventions	v
2. Feedback and Support	v
Chapter 1. Before installing your Talend product	1
1.1. Preparing your installation	2
1.1.1. Files to download	2
1.1.2. Community and Support	2
1.2. Hardware requirements	2
1.3. Software requirements	3
1.3.1. Compatible Operating Systems	3
1.3.2. Java	4
1.3.3. Installing the XULRunner package	5
Chapter 2. Installing Talend Studio for the first time	7
2.1. Downloading and installing Talend Studio	8
2.2. Launching your Talend Studio	8
2.2.1. Launching your Studio	8
2.3. Installing external modules	9
2.3.1. Identify required external modules	9
2.3.2. Install external modules	11
Chapter 3. Upgrading Talend Studio	15
3.1. Exporting/Importing repository items	16
3.2. Upgrading project items from older versions	16
Appendix A. Appendices	17
A.1. Supported Third-Party System/Database/Business Application Versions	18
A.1.1. Supported systems, databases and business applications by Talend components	18
A.1.2. Supported databases for profiling data	21
A.1.3. Supported Hive distributions for profiling data	21

Preface

1. General information

1.1. Purpose

This Installation Guide explains how to install configure and upgrade the *Talend* modules and related applications. For detailed explanation on how to use and fine-tune the *Talend* applications, please refer to the appropriate Administrator or User Guides of the *Talend* solutions.

Information presented in this document applies to *Talend* products **6.2.2**.

1.2. Audience



This guide is for administrators and users of the *Talend* products.



The layout of GUI screens provided in this document may vary slightly from your actual GUI.

1.3. Typographical conventions

This guide uses the following typographical conventions:

- text in **bold**: window and dialog box buttons and fields, keyboard keys, menus, and menu options,
- text in **[bold]**: window, wizard, and dialog box titles,
- text in *courier*: system parameters typed in by the user,
- text in *italics*: file, schema, column, row, and variable names,
- The  icon indicates an item that provides additional information about an important point. It is also used to add comments related to a table or a figure,
- The  icon indicates a message that gives information about the execution requirements or recommendation type. It is also used to refer to situations or information the end-user needs to be aware of or pay special attention to.
- Any command is highlighted with a grey background or code typeface.

2. Feedback and Support

Your feedback is valuable. Do not hesitate to give your input, make suggestions or requests regarding this documentation or product and find support from the **Talend** team, on **Talend**'s Forum website at:

<http://talendforge.org/forum>



Chapter 1. Before installing your Talend product

These pages present and list everything you need to know before installing your *Talend* product:

- *Preparing your installation*
- *Hardware requirements*
- *Software requirements*

1.1. Preparing your installation

These pages provide information about:

- [Files to download](#)
- [Community and Support](#)

1.1.1. Files to download

Here are the files you need to download to install your *Talend* product:

- the software packages. For more information, see [Software package](#).

1.1.1.1. Software package

This page details the software package you need to download to install your *Talend* product.

In this page:

- YYYYMMDD_HHmm corresponds to the package timestamp
- A.B.C. corresponds to package version number (Major. Minor. Patch.)

Table 1.1. Manual installation software package

Zip/jar file name	Description
Talend-Studio-YYYYMMDD_HHmm-VA.B.C.zip	Studio IDE (GUI)

1.1.2. Community and Support

There are several ways to get help and support for your *Talend* installation:

- [Official Talend Documentation](#). Here you can find everything to help you install and use your *Talend* product.
- [Talend Forum](#). This is the place where you can ask questions to the community, and get answers.

1.2. Hardware requirements

Before installing your *Talend* product, make sure the machines you are using meet the following hardware requirements recommended by *Talend*.

Memory usage heavily depends on the size and nature of your *Talend* projects. However, in summary, if your Jobs include many transformation components, you should consider upgrading the total amount of memory allocated to your servers, based on the following recommendations.

Table 1.2. Memory usage

Product	Client/Server	Recommended alloc. memory
<i>Studio</i>	Client	3GB minimum, 4 GB recommended

The same requirements also apply for disk usage. It also depends on your projects but can be summarized as:

Table 1.3. Disk usage

Product	Client/Server	Required disk space for installation	Required disk space for use
<i>Studio</i>	Client	3GB	3+ GB

1.3. Software requirements

These pages contain the exhaustive list of the databases and third party software that are compatible and supported with the 6.2.2 version of your *Talend* product.

- [Compatible Operating Systems](#)
- [Java](#)
- [Installing the XULRunner package](#)

1.3.1. Compatible Operating Systems



In the following documentation:

- recommended: designates an environment recommended by *Talend* based on our experiences and customer usage;
- supported: designates a supported environment for use with the listed component or service;
- supported with limitations: designates an environment that is supported by *Talend* but with certain conditions explained in notes.

The information contained in the following table is applicable for the 6.2.2 version of your Talend product at the time of its release. For updated information on the latest supported software or databases, see [this page](#).

These tables provide a summary of the supported Operating Systems.

Table 1.4. Talend Studio

Support type	Operating System		Version	Processor
Recommended	Linux	Linux Ubuntu	14.04	64-bit
	Windows	Microsoft Windows Professional	7	64-bit
Supported	Linux	Linux Ubuntu	16.04	64-bit
		Linux Ubuntu	12.04	64-bit
		Red Hat Enterprise Linux Server/CentOS	7.1 to 7.3	64-bit
		Red Hat Enterprise Linux Server/CentOS	6.7/6.8	64-bit
	Windows	Microsoft Windows	10	64-bit
		Microsoft Windows	8.1	64-bit

Support type	Operating System		Version	Processor
		Microsoft Windows Server 2012 R2 (on AWS)	2012 RTM	64-bit
	Mac	OS X	Sierra/10.12	64-bit
		OS X	El Capitan/10.11	64-bit
		OS X	Yosemite/10.10	64-bit
		OS X	Mavericks/10.9	64-bit

1.3.2. Java

In order to use your *Talend* product, Java must be installed on your machine. If you install your *Talend Studio* using the *Talend Studio Installer*, you do not need to set up a Java Environment as it is embedded in the Installer.

These pages list:

- [Compatible Java environments](#)
- [Setting up JAVA_HOME](#)

1.3.2.1. Compatible Java environments



In the following documentation:

- recommended: designates an environment recommended by *Talend* based on our experiences and customer usage;
- supported: designates a supported environment for use with the listed component or service;
- supported with limitations: designates an environment that is supported by *Talend* but with certain conditions explained in notes.

The information contained in the following table is applicable for the 6.2.2 version of your Talend product at the time of its release. For updated information on the latest supported software or databases, see [this page](#).

These tables provide a summary of the supported Java Runtime environments.

In this table:

- **(R)** means that this combination is recommended;
- means that this combination is supported;
- means that this combination is not supported.

The **Compiler Compliance Level** corresponds to the Java version used for the Job code generation. This option can be changed in the Studio preferences. For more information, see *Talend Studio User Guide*.

Table 1.5. Studio Java environments

Support Type	JRE Version	Studio JDK Compiler Compliance Level
Recommended	Oracle 8	1.7 (default)
Supported	Oracle 8	1.8

Depending on the licence you have, the available Execution Servers may differ.

Table 1.6. Server Java environments

JRE Version	JobServer	MDM Server	ESB/Talend Runtime	ESB/Microservices	Big Data Distributions	Talend Server Applications ¹	Comment/Limitation
Oracle 7 (running alongside Oracle 8)	✓	✗	✗	✗	Compatible with Java 1.7 only	✗	Compatible with Studio JDK Compiler Compliance Level 1.7 only
Oracle 8	✓ (R)	✓ (R)	✓ (R)	✓ (R)	Compatible with Java 1.8	✓ (R)	Compatible with Studio JDK Compiler Compliance Level 1.7 (default/recommended) or 1.8

For example, the recommended combination is:

- Oracle 8 installed on the machine running the Studio;
- 1.7 set in the **Compiler Compliance Level** preferences of the Studio;
- Oracle 8 installed on the machine(s) running the Execution Server(s) and the Talend Server Application(s);
- Big Data Distributions compatible with Java 1.8 used.

For more information on Java specificities (version, Operating Systems compatibility), see the Knowledge Base articles on [Talend Help Center](#).

1.3.2.2. Setting up JAVA_HOME

In order for your *Talend* product to use the Java environment installed on your machine, you must set the `JAVA_HOME` environment variable.

To do so, proceed as follows:

1. Find the folder where Java is installed, usually `/usr/lib/jvm/java-x-oracle`.
2. Open a terminal.
3. Use the `export` command to set the `JAVA_HOME` and `Path` variables.

For example:

```
export JAVA_HOME=/usr/lib/jvm/jre1.8.0_65
export PATH=$JAVA_HOME/bin:$PATH
```

4. Add these lines at the end of the global profiles in the `/etc/profile` file or in the user profiles in the `~/.profile` file.

After changing one of these files you have to log on again.

1.3.3. Installing the XULRunner package

On Linux, the XULRunner package is required to run the Studio.

The XULRunner package version that is recommended is XULRunner v1.9.2.28.

The supported versions are v1.8.x - 1.9.x and v3.6.x.

1. Download XULRunner v1.9.2.28 from [this location](#).
2. Unpack the archive file in the same directory where you unpacked the studio archive, but do not unpack it within the Studio folder.
3. Add the following line at the end of the Studio *.ini* file that corresponds to your Linux architecture:

```
-Dorg.eclipse.swt.browser.XULRunnerPath=</usr/lib/xulrunner>
```

where *</usr/lib/xulrunner>* is the *xulrunner* installation path.

For example, if you have unpacked the Studio in a directory under your user home directory */home/<user>/Talend/*, you need to add the following to the *.ini* file:

```
-Dorg.eclipse.swt.browser.XULRunnerPath=/home/<user>/Talend/xulrunner/
```



Chapter 2. Installing Talend Studio for the first time

We strongly encourage you to read the [Before installing your Talend product](#) before starting this chapter.

This chapter details the procedures required to install Talend Studio.

2.1. Downloading and installing Talend Studio

Download

1. Download the product on [this page](#).

Note that the *.zip* file contains binaries for ALL platforms (Linux/Unix, Windows and MacOS).

2. Once the download is complete, extract the archive file on your hard drive.



It is recommended to avoid spaces and long names in the target installation directory path.

Configure the memory settings

- If you want to tune the memory allocation for your JVM, you only need to edit the *TOS_DQ-linux-gtk-x86_64.ini* file.

The default values are:

```
-vmargs -Xms40m -Xmx500m -XX:MaxMetaspaceSize=128m
```

If you only have 512MB of memory on your computer, you can specify the memory allocation as following, for example:

```
-vmargs -Xms40m -Xmx256m -XX:MaxMetaspaceSize=64m
```

Learn more on <http://www.oracle.com/technetwork/java/hotspotfaq-138619.html>

2.2. Launching your Talend Studio

The following procedures describe how to launch the Studio, how to log in the Studio and how to create your first project.

2.2.1. Launching your Studio

Launch the Studio

1. If you want to use the *.sh* script file to launch your **Talend Studio**, add the execution rights to that file using the following command:

```
$ chmod +x TOS_DQ-linux-gtk-x86.sh
$ ./TOS_DQ-linux-gtk-x86.sh
```

2. Double-click the *TOS_DQ-linux-gtk-x86_64* executable file to launch your *Talend Studio* or use the *TOS_DQ-linux-gtk-x86_64.sh* file.

Public license

- First screen is a license screen. In the [**License**] window that appears, read and accept the terms of the license agreement to proceed to the next step.

If required, follow the instructions provided to join the Talend community or click **Register later** to launch the Studio.

2.3. Installing external modules


Talend Studio requires specific third-party Java libraries or database drivers (*.jar* files) to be installed to connect to sources and targets. Those libraries or drivers, known as external modules, can be required by some connection wizards. Due to license restrictions, *Talend* may not be able to ship certain external modules within *Talend Studio*.

2.3.1. Identify required external modules

When you launch *Talend Studio* or select **Help > Install Additional Packages** in the *Talend Studio* menu, if any external modules are found missing for any features, the **[Additional Talend packages]** wizard opens, showing the **Optional** and **Required third-party libraries** check boxes. Make sure these check boxes are selected and click **Finish** to open the **[Download external modules]** dialog box, which lists all the available external modules, displays the license terms under which the external modules are provided, and lets you install all the modules at a single click. For more information, see [Install external modules](#).




The **Modules** view lists all the modules required including those Java libraries and drivers that you must install to get the relevant Metadata connection working.

If the **Modules** view is not shown under your design workspace, go to **Window > Show View... > Talend** and then select **Modules** from the list.




Status	Context	Module	Description	Requir...
Not insta...	tJasperOutput	batik-xml-1.7.jar	Required for using this component.	<input checked="" type="checkbox"/>
Not insta...	tJasperOutputExec	batik-xml-1.7.jar	Required for using this component.	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Installed	tCloudStart	bcprov-jdk16-1.46.jar	Required for using this component.	
<input checked="" type="checkbox"/> Installed	tCloudStop	bcprov-jdk16-1.46.jar	Required for using this component.	
<input checked="" type="checkbox"/> Installed	plugin:bcprov	bcprov_1.51.0.jar		
<input checked="" type="checkbox"/> Installed	tESBConsumer	bcprov_1.51.0.jar	Required for using this component.	
<input checked="" type="checkbox"/> Installed	tESBConsumer	bcprov_1.51.0.jar	Required for using this component.	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Installed	tRESTClient	bcprov_1.51.0.jar	Required for using this component.	
<input checked="" type="checkbox"/> Installed	tRESTClient	bcprov_1.51.0.jar	Required for using this component.	<input checked="" type="checkbox"/>
<input type="checkbox"/> Not insta...	tBonitaInstantiat...	bonita-client-5.2.3.jar	Required for using this component.	
<input type="checkbox"/> Not insta...	tBonitaDeploy	bonita-client-5.2.3.jar	Required for using this component.	
<input type="checkbox"/> Not insta...	tBonitaInstantiat...	bonita-client-5.3.jar	Required for using this component.	

The table below describes the information presented in the **Modules** view.

Column	Description
Status	points out if a module is installed or not installed on your system. The  icon indicates that the module is not necessarily required for the corresponding Metadata connection listed in the Context column. The  icon indicates that the module is absolutely required for the corresponding Metadata connection.
Context	lists the name of Talend Metadata connection using the module. If this column is empty, the module is then required for the general use of <i>Talend Studio</i> .  This column lists any external libraries added to the routines you create and save in the Studio library folder. For more information, see the <i>Talend Studio User Guide</i> .
Module	lists the module exact name.
Description	explains why the module/library is required.
Required	the selected check box indicates that the module is required.


In addition to the **Modules** view, the Studio provides a mechanism that enables you to easily identify, download and install most of the required third-party modules from the **Talend** website and directs you to valid websites for the rest.

A Jar installation wizard appears whenever any required external module is found missing for any feature in the Studio, including when you:






- click the **Check** button in a Metadata connection setup wizard in *Talend Studio* if one or more external modules required for the connection are missing in the Studio, or
- click the  button in the **Modules** view.



When you click this button, the wizard that appears will list all the required external modules that are not integrated in the Studio.



The table below describes the information presented in the wizard.

Item	Description
Jar	The file name of the external module.
Module	A short description about the nature of the module.
Required by component	Lists the components that require the external module.
Required	The selected check box indicates that the module is required.
License	The license under which the module is provided.
More information	Provides the URL of the valid website where you can find more information about this module and download the module manually.
Action	<p>: Click to open the [Download external modules] dialog box to download and install the module, which is available on the Talend website;</p> <p>Open in browser : Click the link to open the valid website to download the module, which is not available on the Talend website, and then click the jar button to import the downloaded module into your studio;</p> <p>: You need to find and download the module yourself and click the jar button to import it into the your studio.</p>
	Click to open the [Download external modules] dialog box to download and install all the required modules that are available on the Talend website.
Do not show again	<p>Select to prevent the wizard from appearing again unless you click the  button in the Modules tab view.</p> <p>This check box shows only when you drop a component, or guess the schema of a database, that requires an external module, or click the Install button on the Component tab of a component that requires an external module.</p>

Item	Description
Click here to obtain more information about external modules	Click to go to Talend online documentation on installing third-party modules.

This wizard lists the external modules to be installed, the licenses under which they are provided, and the URLs of the valid websites where they are downloadable, and allows you to download and install automatically all the modules available on the Talend website and download those not available on the **Talend** website by following the links provided in the **Action** column and then install them into your Studio manually.

When you set up a connection, or guess the schema of a database, that requires an external module for which neither the Jar file nor its download URL information is available on the **Talend** website, the Jar installation wizard does not appear, but the **Error Log** view will present an error message informing you that the download URL for that module is not available. You can try to find and download it by yourself, and then install it manually into the Studio.



To show the **Error Log** view on the tab system, go to **Window > Show views**, then expand the **General** node and select **Error Log**.

2.3.2. Install external modules

To download and install modules in the Studio

To download and install external modules automatically, do the following:




*If you are working behind a network proxy, make sure you have correctly set up your proxy before you can download and install external modules in your Studio. To access the proxy settings, select **Window > Preferences** from the menu to open the [Preferences] window, then expand the **General** node and click **Network Connections**.*

Add the web site <http://talend-update.talend.com> and the port 443 to the whitelist.

1. In the Jar installation wizard, click the **Download and Install** button to install a particular module, or click the **Download and install all modules available** button to install all the available modules, or select **Help > Install Additional Packages** from the menu to open the [Additional Talend Packages] wizard. From this wizard, make sure the Optional and Required third-party libraries check boxes are selected and click **Finish**. The [Download external modules] dialog box opens.



This [Additional Talend Packages] wizard appears automatically when you launch *Talend Studio* if any additional packages, including external modules, need to be installed for any features to function in the Studio.




- To download and install the external module(s) provided under a particular license, select that license from the **Licenses** pane, review the license terms, select the **I accept the terms of the license agreement** option, and click **Finish** to start the download and installation process.

To download and install all external modules provided under all the listed licenses, click the **Accept all** button to start the download and installation process.

Upon installation of the chosen external module or modules, a dialog box appears to notify you about the number of modules successfully installed and/or about the modules failed to install, if any.

To install manually an external module you already have in your local file system, do the following:

- Click the  button in the upper right corner of the **Modules** view or in Jar installation wizard to browse your local file system.

If the **Modules** view is not shown under your design workspace, go to **Window > Show View... > Talend** and then select **Modules** from the list.

- In the **[Open]** dialog box of your file system, browse to the module you want to install, double-click the *.jar* file, or select it and then click **Open** to install it.

The dialog box closes and the selected module is installed in the library folder of the current Studio.

You can now use the Metadata connection dependent on this module in any of your Job designs.

To install modules downloaded from external websites

Some modules are not available on the **Talend** website but can be downloaded directly from external websites. Once downloaded, these modules must be placed in specific folders.

- For the studio, the downloaded modules must be placed in the following folder:
<StudioPath>/configuration/.m2




Chapter 3. Upgrading Talend Studio

This chapter describes the operations required to migrate version of Talend Studio.

3.1. Exporting/Importing repository items

Export repository items to an archive file

1. Launch the old version of Talend Studio.
2. In the icon bar, click the **Export Items** button  and export the local items of the repository to an archive file.

Import repository items from an archive file

Once you have installed the new Studio, you can retrieve the items that were stored in the repository of your old Studio.

1. Launch the new version of Talend Studio.
2. In the icon bar, click the **Import Items** button  and retrieve the archive file holding your items.

3.2. Upgrading project items from older versions



The below procedure concerns only the migration of data profiling items from versions older than 4.0.0. To migrate your data profiling items from version 4.0.0 onward, you simply need to import them into your current Studio.

To migrate data profiling items (analyses, database connections, patterns and indicators, etc.) created in versions older than 4.0.0, do the following:

1. From the folder of the old version studio, copy the workspace file and paste it in the folder of your current Studio. Accept to replace the current workspace file with the old file.
2. Launch the Studio connecting to this workspace.

The upgrade operation is completed once the Studio is completely launched, and you should have access to all your data profiling items.



Regarding system indicators during migration, please pay attention to the following:

- *When you upgrade the repository items to version 4.2 from a prior version, the migration process overwrites any changes you made to the system indicators.*
- *When you upgrade the repository items from version 4.2 to version 5.0 onward, you do not lose any changes you made to the system indicators, the changes are merged.*



Appendix A. Appendices

The following appendices contain complementary information to go further with your *Talend* product:

- *Supported Third-Party System/Database/Business Application Versions*

A.1. Supported Third-Party System/Database/Business Application Versions

This document provides the information about the versions of the systems or databases or business applications supported by Talend Studio.

A.1.1. Supported systems, databases and business applications by Talend components

The information contained in the following table is applicable for the 6.2.2 version of your Talend product at the time of its release. For updated information on the latest supported software or databases, see [this page](#).

The access to these systems, databases and business applications varies depending on the Studio you are using.

Systems/Databases	Versions	OS	Available with...
Alfresco	2.1	N/A ¹	All Talend products
Amazon Redshift	Initial release of Amazon Redshift	N/A ¹	All Talend products
AS/400	V5R2 to V5R4 V5R3 to V6R1 V6R1 to V7R2	N/A ¹	All Talend products
Access²	2003 2007	Windows	Talend products with Data Integration (DI), Master Data Management (MDM), Enterprise Service Bus (ESB) or Big Data
Bonita	5.2.3 5.3.1 5.6.1 5.10.1 6.5.2	N/A ¹	All Talend products
Cassandra	2.0.0 3.0/3.1/3.2/3.3/3.4 (Deprecated versions: 1.1.2/1.2.2)	Windows + Linux	Talend products with Big Data
CouchBase	2.0	Windows	Talend products with Big Data
CouchDB	1.0.2	Windows	Talend products with Big Data
DB Generic	ODBC	Windows	All Talend products
DB2	10.5 10.1	Windows + Linux	Talend components with all products. Talend products with MDM or ESB.
DynamoDB	No specified version	N/A ¹	Talend products with Big Data
EXASolution	4	Windows	Talend products with DI, MDM, ESB or Big Data
Elasticsearch	Until 2.3.X	N/A ¹	Talend products with Big Data
FireBird	2.1	Windows + Linux	Talend products with DI, MDM, ESB or Big Data
Greenplum	4.2.1.0	Windows (client only) + Linux	Talend products with DI, MDM, ESB or Big Data

Systems/Databases	Versions	OS	Available with...
HSQLDb	1.8.0	N/A ¹	Talend products with DI, MDM, ESB or Big Data
Informix	11.50	Windows + Linux	All Talend products
Ingres	9.2	Windows + Linux	All Talend products
Interbase	7 and above	N/A ¹	Talend products with DI, MDM, ESB or Big Data
JavaDB	6	Windows + Linux	Talend products with DI, MDM, ESB or Big Data
Kafka	0.8.2.0 0.9.0.1 ³	Windows + Linux	Talend products with Big Data
LDAP	No version limitation	Windows + Linux	All Talend products
Microsoft AX	Dynamics AX 4.0 Dynamics AX 2012	N/A ¹	All Talend products
Microsoft CRM	4.0 2011 2013 2015	N/A ¹	All Talend products
MS SQL Server	2000 2003 2005 2008 2012 2014 ⁴	Windows + Linux	All Talend products
MaxDB	7.6	N/A ¹	Talend products with DI, MDM, ESB or Big Data
MongoDB	2.5.X 2.6.X 3.0.X 3.2.X	Windows + Linux	Talend products with Big Data
MySQL	Mysql4 Mysql5 MariaDB	Windows + Linux	All Talend products
Netezza	7.2	Windows + Linux	All Talend products
Neo4j	1.X.X 2.X.X/2.2.X/2.3	Linux	Talend products with Big Data
OleDb	2000 2003 2005 2007 2010	N/A ¹	All Talend products

Systems/Databases	Versions	OS	Available with...
Oracle	Oracle 8i/9i/10g/11g/11g (11.6)/12c	Windows + Linux	All Talend products
ParAccel	3.1 3.5	N/A ¹	Talend products with DI, MDM, ESB or Big Data
PostgreSQL	Prior to v9/v9.X	Windows + Linux	All Talend products
PostgresPlus	Prior to v9/v9.X	Windows + Linux	Talend products with DI, MDM, ESB or Big Data
Salesforce	V37 and earlier	Windows + Linux	All Talend products
SAP	4.6 ECC 6.0 EhP6	Windows	All Talend products
SAP Hana	1.0	Windows	All Talend products
SAS	9.1 9.2	Windows + Linux	Talend products with DI, MDM, ESB or Big Data
SQLite	3.6.7	Windows + Linux	All Talend products
Sybase	12.5 12.7 15.2 15.5 15.7	Windows + Linux	All Talend products
SybaseIQ	12.5 12.7 15.2	Windows + Linux	All Talend products
Teradata	12 13 14 15	Windows + Linux	All Talend products
VectorWise	2	Windows + Linux	Talend products with DI, MDM, ESB or Big Data
Vertica	3 3.5 4 4.1 5.0 5.1 6.0 6.1.X 7.0.X 7.1.X	Windows + Linux	Talend products with DI, MDM, ESB or Big Data
VtigerCRM	Vtiger 5.0 Vtiger 5.1	N/A ¹	All Talend products

1. The test information is not available yet.
2. When working with Java 8, only the General collation mode is supported.
3. The Kerberos kinit option and the Kerberos keytab option are both supported by the Studio.
4. No new feature introduced by MS SQL Server 2014 is supported.

A.1.2. Supported databases for profiling data

The information contained in the following table is applicable for the 6.2.2 version of your Talend product at the time of its release. For updated information on the latest supported software or databases, see [this page](#).

The table below lists the databases supported from the **Profiling** perspective of the studio. For a complete list about supported third-party systems, see [Supported systems, databases and business applications by Talend components](#).

Database name	Database version
Amazon Redshift	Initial release of Amazon Redshift
AS/400	V5R2 to V7R2
Hive	For a complete list of the supported Hive distributions, see Supported Hive distributions for profiling data .
IBM DB2	10.5
IBM DB2 ZOS	2000/2005/2008
Impala (a sub-module of Cloudera)	CDH5 5.0/5.1
Informix	11.50
Ingres	9.2
Microsoft SQL Server	2000/2003/2005/2008/2012
MySQL	5.1/5.5/5.6
Netezza	6
Oracle with SID	9i to 11g
Oracle with service name	9i to 11g
PostgreSQL	8.3/9.1+
SQLite	3.6.7
Sybase (ASE and IQ)QLite	12.5/12.7/15.2
Teradata	12/13/14/15
Vertica	6.0/7.0

A.1.3. Supported Hive distributions for profiling data

The information contained in the following table is applicable for the 6.2.2 version of your Talend product at the time of its release. For updated information on the latest supported software or databases, see [this page](#).

Below is a list of the supported distributions for Hive profiling.



For the time being, the embedded mode on Hive distributions is available mainly for test purposes done by Hadoop developers. The studio may not be able to run correctly with the embedded mode.

Hive distribution	version	version	
		Hive 1	Hive 2
HortonWorks	HDP 1.0.0 (deprecated)	Embedded and Standalone	No

Hive distribution		version	
		Hive 1	Hive 2
	HDP 1.2	Embedded and Standalone	Embedded and Standalone
	HDP 1.3	Embedded and Standalone	Embedded and Standalone
	HDP 2.0	Embedded (only Linux) and Standalone	Embedded (only Linux) and Standalone
	HDP 2.1	Embedded (only Linux) and Standalone	Embedded (only Linux) and Standalone
	HDP 2.2	Embedded (only Linux) and Standalone	Embedded (only Linux) and Standalone
Cloudera	CDH4 (Kerberos authentication is supported)	Embedded and Standalone	Embedded and Standalone
	CDH5 (Kerberos authentication is supported)	Embedded and Standalone	Embedded and Standalone
	CDH5.1 MR1 (Kerberos authentication is supported)	No	Standalone
	CDH5.4 YARN (Kerberos authentication is supported)	No	Standalone
MapR	MapR 1.2 (deprecated)	Standalone	No
	MapR 2.0	Embedded and Standalone	No
	MapR 2.1.2	Embedded and Standalone	No
	MapR 3.0.1	Embedded and Standalone	Embedded and Standalone
	MapR 3.1	Embedded and Standalone	Embedded and Standalone
Apache	Apache 1.0.0 (Hive 0.9.0)	Embedded and Standalone	No
	Apache 0.20.23 (Hive 0.7.1)	Standalone	No
Pivotal HD	Pivotal HD 1.0.1	Standalone	No
	Pivotal HD 2.0.1	Embedded (only Linux) and Standalone (Linux and Windows)	Embedded and Standalone (only Linux)